

1.6


FARM




Brida
Clamp
Collier



ANTIVANDÁLICA / ANTIVANDALISM / ANTIVANDALISME



APLICACIONES INDICADAS / SUITABLE APPLICATIONS / APPLICATIONS APPROPRIÉES



IT - DE



IK10

IP69K

CE

EN 60598-1




TUBO FLUORESCENTE / LAMP / LAMP


T8

Ref.	Potencia Watts Puissance	Equipo Equipment Ballast	L	D	D + brida D + clamp D+fixation	Embalaje Packaging Carton
	(W)		(mm)	(mm)	(mm)	
Q0741	1 x 18	■	683	100	120	1
Q0743	1 x 36	■	1293	100	120	1
Q0745	1 x 58	■	1593	100	120	1
Q0747	2 x 18	■	683	100	120	1
Q0749	2 x 36	■	1293	100	120	1
Q0751	2 x 58	■	1593	100	120	1

■ Electrónica / Electronic / Électronique



1x



2x

1.6

FARM

TUBO FLUORESCENTE / LAMP / LAMP

T5

Ref.	Potencia Watts <i>Puissance</i>	Equipo Equipment <i>Ballast</i>	L	D	D + brida D + clamp <i>D+fixation</i>	Embalaje Packaging <i>Carton</i>
	(W)		(mm)	(mm)	(mm)	
Q0755	1 x 14	■	643	100	120	1
Q0763	1 x 24	■	643	100	120	1
Q0757	1 x 21	■	942	100	120	1
Q0765	1 x 39	■	942	100	120	1
Q0759	1 x 28	■	1242	100	120	1
Q0769	1 x 54	■	1242	100	120	1
Q0771	1 x 80	■	1242	100	120	1
Q0761	1 x 35	■	1542	100	120	1
Q0767	1 x 49	■	1542	100	120	1
Q0773	2 x 14	■	643	100	120	1
Q0781	2 x 24	■	643	100	120	1
Q0783	2 x 39	■	942	100	120	1
Q0775	2 x 21	■	942	100	120	1
Q0787	2 x 54	■	1242	100	120	1
Q0777	2 x 28	■	1242	100	120	1
Q0785	2 x 49	■	1542	100	120	1
Q0779	2 x 35	■	1542	100	120	1

■ Electrónica / Electronic / Électronique

TUBO LED / LED TUBE / TUBE LED

T8

Ref.	Longitud tubo Tube lenght <i>Longueur tube</i>	L	D	D + brida D + clamp <i>D + fixation</i>	Embalaje Packaging <i>Carton</i>
	(mm)	(mm)	(mm)	(mm)	
Q0741L	1 x 600	683	100	120	1
Q0743L	1 x 1200	683	100	120	1
Q0745L	1 x 1500	1293	100	120	1
Q0747L	2 x 600	683	100	120	1
Q0749L	2 x 1200	683	100	120	1
Q0751L	2 x 1500	1293	100	120	1



IK10

IP69K

CE

EN 60598-1



ALTAS TEMPERATURAS / HIGH TEMPERATURES / HAUTES TEMPÉRATURES



T8

Ref.	Potencia Watts Puissance	Equipo Equipment Ballast	L	D	D + brida D + clamp D + fixation	Embalaje Packaging Carton
	(W)		(mm)	(mm)	(mm)	
Q0789	1 x 18	⚠	709	100	120	1
Q0790	1 x 36	⚠	1.319	100	120	1
Q0791	1 x 58	⚠	1.624	100	120	1
Q0792	2 x 18	⚠	709	100	120	1

⚠ Altas temperaturas / High temperatures / Hautes Températures

ACCESORIOS FARM / FARM ACCESSORIES / ACCESSOIRES FARM /



Ref.

Q0349

Suspensión con cable de acero
Steel cable suspension
Suspension avec câble en acier



Q0401

Bridas de acero inoxidable
Stainless steel clamps
Colliers inox antivandalisme



Q0159

Bridas de acero cincado
Zinc-plated steel clamps
Colliers en acier galvanisé



Q0158

Brida de metacrilato
Antivandalic acrylic
Colliers en méthacrylate

LÍNEA CONTINUA
CONTINUOUS LINE CONNECTION
CÂBLAGE TRAVERSANT

3 polos / 3 poles / 3 pôles

Ref. Q0793

5 polos / 5 poles / 5 pôles

Ref. Q0794

1-10
DALI

EMERGENCY
1h / 3h